

AERODROME CHART - ICAO

ARP
N47 29 20
E021 36 55
AERODROME ELEV 359

DEBRECEN TOWER 125.900
DEBRECEN INFO 125.900
BUDAPEST INFO (EAST) 133.000


DEBRECEN

RWY	DIRECTION	THR	BEARING	STRENGTH	TORA	TODA	ASDA	LDA
05R	044°	N47 28 53, E021 36 11	PCN 88/R/A/W/T		2500	2500	2515	2500
23L	224°	N47 29 41, E021 37 29	PCN 88/R/A/W/T		2500	2500	2515	2200
Apron and taxiways			PCN 60/R/B/X/U					
Taxiways width: 20 m.								

Geoid undulation 41 m 136 ft



INS COORDINATES FOR AIRCRAFT STANDS
NOT AVAILABLE



LEGEND

- Earth rampart, shelter
- VISUAL AIDS**
- Approach lighting barrette
- PAPI
- Threshold identification flashing light
- High intensity uni- and bidirectional RWY lights (edge, threshold, end)
- Retroreflective TWY edge marker
- Non illuminated taxiing guidance sign

FOR BASIC CHART SYMOLS SEE GEN 3.2.

TWY MARKINGS: NOT AVAILABLE.
APRON MARKINGS: NOT AVAILABLE.
APRON ELEVATION: NOT AVAILABLE.
GEOGRAPHICAL COORDINATES FOR TWY CENTERLINES: NOT AVAILABLE.


LIGHTING

RWY 05R/23L

- Approach:** Cat. I, high intensity (900 m) on RWY 05R.
- Threshold:** High intensity green uni- and bidirectional, RWY identification flashing lights on RWY 23L.
- PAPI:** 3,00° (17 m).
- Runway edge:** High intensity white/yellow uni- and bidirectional (2500 m), spacing: 60 m on RWY 05R. Red/white/yellow uni- and bidirectional (2500 m), spacing: 60 m on RWY 23L.
- Runway end:** High intensity red uni- and bidirectional.

ELEVATIONS ARE IN FEET AND DIMENSIONS IN METRES
BEARINGS ARE MAGNETIC

HORIZONTAL SCALE 1 : 10 000



THE PAGE INTENTIONALLY LEFT BLANK