

**AD 2 LHPR INSTRUMENT APPROACH CHART RNAV<sub>(GNSS)</sub> RWY 30**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M (°T)	Magnetic Variation (2009)	Distance (NM)	Turn Direction	Altitude (ft)	Speed (KIAS)	VPA/TCH	Navigation Specification
001	IF	GYR			+3.4						RNP APCH
002	TF	PR014	-	092 (095.0)	+3.4	14.2	-	+4500	-230		RNP APCH
003	TF	PR015	-	193 (196.6)	+3.4	6.0	-	+3000	-210		RNP APCH
004	TF	PR023	-	296 (299.5)	+3.4	5.0	-	@2100			RNP APCH
005	TF	PR024	Y	296 (299.5)	+3.4	5.0	-	@770		-3.06/49	RNP APCH
006	DF	PR025	Y	296 (299.5)	+3.4	3	-	-	-185		RNP APCH
007	DF	PR026	-	-	+3.4	-	-	-			RNP APCH
008	HM	PR014	-	092 (095.0)	+3.4	6.0	-	+3500			RNP APCH

**WAYPOINT COORDINATES  
AD 2-LHPR-RNAV<sub>(GNSS)</sub> 30**

WAYPOINT	LATITUDE	LONGITUDE	REMARK
PR014	N47 38 17.4	E018 04 25.7	IAF
PR015	N47 32 30.2	E018 01 54.4	IF
PR023	N47 34 58.2	E017 55 26.1	FAF
PR024	N47 37 26.0	E017 49 00.3	MAPt
PR025	N47 38 54.3	E017 45 08.2	MA TP
PR026	N47 38 49.6	E017 55 35.4	MA TP