

AIP HUNGARY

AIRCRAFT
PARKING/DOCKING
CHART - ICAO

BUDAPEST APP	122.975	BUDAPEST TOWER	118.100	BUDAPEST APRON 2	122.440
	123.860	BUDAPEST GROUND	121.910		
	119.510	BUDAPEST DELIVERY	134.540	ATIS	132.380
BUDAPEST INFORMATION (NORTH)			119.350	ATIS (BUD VOR)	117.300

BUDAPEST/LISZT FERENC
CARGO APRON


	BEARING STRENGTH
Cargo Apron	PCN 80/R/A/W/T
Taxiways: E	PCN 90/R/A/W/T
Taxiway width: 23 m.	



LEGEND

VISUAL AIDS

- TWY centre line light (bi-directional)
- TWY centre line light (unidirectional)
- Omnidirectional TWY edge light
- * Flood lighting



INS COORDINATES FOR AIRCRAFT STANDS	
C1R	N47 25 42.79, E019 16 38.57
C1	N47 25 42.31, E019 16 37.93
C1L	N47 25 41.28, E019 16 38.15
C2R	N47 25 40.77, E019 16 35.85
C2	N47 25 40.28, E019 16 35.19
C2L	N47 25 39.25, E019 16 35.43

LIGHTING

TWY


Taxiway edge:	Low intensity omnidirectional blue.
Taxiway centre line:	Low intensity bi-directional green on E.
STOP bars:	Unidirectional red omnidirectional blue.
Apron:	Low intensity blue edge lights and floodlights.
Obstacle light:	Low intensity red.

FOR BASIC CHART SYMBOLS SEE: GEN 2.3.
TAXI PROCEDURES SEE: AD 2-LHBP-TAXI CHARTS.

APRON ELEVATION: NOT AVAILABLE.
GEO. COORDINATES FOR TWY CENTRE LINES: NOT AVAILABLE.
OBSTACLES TO TAXIING: NOT AVAILABLE.

ELEVATIONS ARE IN FEET
DIMENSIONS ARE IN METRES
BEARINGS ARE MAGNETIC

SCALE 1 : 5 000



MAXIMUM PERMISSIBLE WINGSPAN ON CARGO APRON TAXIWAY

E	68.5 m
---	--------

THIS PAGE IS INTENTIONALLY LEFT BLANK