

LHPP - PÉCS/POGÁNY**LHPP AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

LHPP PÉCS/POGÁNY

LHPP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	455921N 0181432E, at the geometrical centre of the RWY
2	Direction and distance from (city)	9 KM SSE from the centre of Pécs
3	Elevation/Reference temperature	198 M / 27.4°C
4	MAG VAR/ annual change	5° E (2024) / 0.1° increasing
5	AD Administration, address, telephone, telefax, AFS	Post:Pecs/Poganyi Repuloteret Mukodteto Kft. H-7666 Pogany, Repuloter 08/9 Phone:(+36) 72-526-140 AFS:LHPPZPZX SITA:PEVOPXH Email:info@airportpecs.hu; fly@airportpecs.hu URL:www.airportpecs.hu
6	Types of traffic permitted (IFR/VFR)	IFR-VFR
7	Remarks	Nil

LHPP AD 2.3 OPERATIONAL HOURS

1	AD Administration	MAY, JUN, JUL, AUG 0700-1700 MAR, APR, SEP, OCT 0800 - 1600 (0700-1500) JAN, FEB, NOV, DEC 0800 - 1400 PPR 0400-2000 (0500 - 2100)
2	Customs and immigration	3 workdays prior request required for flights outside the Schengen Region departing/arriving to/from LHPP. Further information: Phone:(+36) 72-526-156 Email:info@airportpecs.hu
3	Health and sanitation	Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	H24
7	ATS	As Administration
8	Fuelling	As Administration

9	Handling	As Administration
10	Security	H24
11	De-icing	As Administration
12	Remarks	Nil

LHPP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/oil types	AVGAS 100LL, JET-A1, Gasoline 95
3	Fuelling facilities/capacity	Available (10000 L)
4	De-icing facilities	Available at parking stands on request
5	Hangar space for visiting aircraft	On request
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

LHPP AD 2.5 PASSENGER FACILITIES

1	Hotels	In Pogany
2	Restaurants in the city	In the city
3	Transportation	Taxi, local public coach, car hire
4	Medical facilities	First aid at AD, hospital in the city.
5	Bank and Post Office	In the city, credit card acceptance at AD
6	Tourist Office	In the city
7	Remarks	Nil

LHPP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	A3
2	Rescue equipment	1 fire truck and hand operated fire extinguishers
3	Capability for removal of disabled aircraft	Available (restricted, up to 30 tons)
4	Remarks	For CAT A5, 3 hours prior request required.

LHPP AD 2.7 RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING, AND SNOW PLAN

1	Types of clearing equipment	1 snow plough and sweeper, 1 carbamid spreader
2	Clearance priorities	RWY, TWYs, Apron 1, Apron 2
3	Use of material for movement area surface treatment	Carbamid
4	Specially prepared winter runways	Nil
5	Remarks	Nil

LHPP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: CONC Strength: Apron 1: 35/R/B/W/T Apron 2: 37/R/B/W/T
2	Taxiway width, surface and strength	Width: TWY A: 15 M TWY A1: 10 M Surface: asphalt Strength: TWY A and A1: 37/F/C/W/T
3	Altimeter checkpoint location and elevation	Location: Nil Elevation:
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Turning bay at treshold RWY 33. (43.30 M X 8.54 M)

LHPP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	TWY centre lines, guide lines on apron. Centrelines, holding point marking.
2	RWY and TWY markings and LGT	RWY: designator, threshold, TDZ, centre line markings TWYs: centre lines, holding point marking
3	Stop bars	Nil
4	Remarks	Nil

LHPP AD 2.10 AERODROME OBSTACLES

Data for Area 2 and Area 3 [See GEN 3.1](#)

LHPP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Hungarian Meteorological Service (HMS) Unit of Aviation Meteorology
2	Hours of service	H24
3	Office responsible for TAF preparation Periods of validity	Hungarian Meteorological Service (HMS) Unit of Aviation Meteorology Periods of validity: 9 HRs, Interval of issuance: 3 HRs in operational hours of aerodrome
4	Type of landing forecast Interval of issuance	Nil
5	Briefing/consultation provided	Written briefing: https://aviation.met.hu Consultation via phone: +36-90-603-421 Consultation via e-mail: rvo@met.hu (HMS) See GEN 3.5
6	Flight documentation Language(s) used	Charts, abbreviated plain language text Hungarian, English
7	Charts and other information available for briefing or consultation	Charts, aerodrome reports and forecasts in EUR region, area forecasts, MET. observations and warnings in Budapest FIR
8	Supplementary equipment available for providing information	Telephone/Telefax
9	ATS Units provided with information	Budapest FIC (on request); AFIS (on request)
10	Additional information	Nil

LHPP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
15	157.53° GEO	1500 x 30	38/F/B/W/T ASPH	455943.62N 0181418.32E 455858.74N 0181444.95E 44.7 M	198 M
33	337.53° GEO	1500 x 30	38/F/B/W/T ASPH	455858.74N 0181444.95E 455943.62N 0181418.32E 44.7 M	195.1 M

Designations RWY NR	Slope of RWY - SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M) surface	Location of arresting system	OFZ	Remarks
1	7	8	9	10	11	12	13	14
15	-0.10%/-0.87%	Nil	Nil	1620 x 300	360 x 90 grass	Nil	Nil	Nil
33	+0.87%/+0.10 %	Nil	Nil	1620 x 300	360 x 90 grass	Nil	Nil	Nil

LHPP AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
15	1500	1500	1500	1500	Nil
33	1500	1500	1500	1500	Nil

LHPP AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT)	TDZ LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
15	SALS 420 M LIM	Green	3.36° (15 M)	Nil	Nil	1500 M 60 M White/Yellow LIH	RED	Nil	Nil
33	CAT1 barrette 900 M LIH	Green	3° (17 M)	Nil	Nil	1500 M 60 M White/Yellow LIH	RED	Nil	Nil

LHPP AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centre line lighting	TWY edge lighting on TWY A, in 102 M length
4	Secondary power supply	GPU diesel ground power unit (152 kW, 10-hour operating time)
5	Remarks	Retroreflective edge markers on the other section of TWY A and Aprons

LHPP AD 2.16 HELICOPTER LANDING AREA

NIL

LHPP AD 2.17 AIR TRAFFIC SERVICES AIRSPACE

1	Designation and lateral limits	PECS-POGANY TIZ 454614N 0181508E - 455106N 0182820E - 461304N 0182154E - 461402N 0181906E - 460854N 0180424E - 455347N 0175950E - 454614N 0181508E
2	Vertical limits	9500 FT ALT GND
3	Airspace classification	G
4	ATS unit call sign Language(s)	Pogány Information EN, HU
5	Transition altitude	10000 FT AMSL
6	Hours of applicability	As ATS Administration
7	Remarks	Air Traffic Advisory Service is not AVBL in the class G airspace LHPP TIZ.

LHPP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service designation	Call sign	Channel(s)	SATVOICE number(s)	Logon Address	Hours of operation	Remarks
1	2	3	4	5	6	7
AFIS	Pogány Information	126.915 CH	Nil	Nil	As AD Administration	Nil

LHPP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

MAG VAR Type of supported OPS (for VOR/ILS/MLS, give declination)	ID	Frequency(ies)	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
L	PP	412 KHZ	H24	460021.0N 0181358.0E		Nil
ILS 33 (CAT I)						
LLZ	PCS	108.35 MHZ	H24	455952.2N 0181413.3E		
GP		333.95 MHZ	H24	455905.3N 0181434.9E		GP angle: 3°
DME	PCS	20Y	H24	455905.3N 0181434.9E	196 M	

LHPP AD 2.20 LOCAL AERODROME REGULATIONS

The village of Pogány must be avoided by all engine propelled aircraft, except aircraft making instrument approach for RWY 33.

Local training flights outside opening hours on 24 hours prior request.

LHPP AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

LHPP AD 2.22 FLIGHT PROCEDURES

See attached instrument approach chart.

LHPP AD 2.23 ADDITIONAL INFORMATION

NIL

LHPP AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAO	AD 2 LHPP-ADC
Aerodrome Obstacle Chart - ICAO Type A Operating Limitations	AD 2-LHPP-AOCA-1533
Instrument Approach Chart - ICAO	AD 2-LHPP-ILS/LOC-33
	AD 2-LHPP-NDB-15
	AD 2-LHPP-RNP-15
	AD 2-LHPP-RNP-33
Visual Approach Chart - ICAO	AD 2-LHPP-VAC

LHPP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

RWY15		
Obstacle penetrating VSS	Affected procedures	Affected OCA/H
LHPP_AREA2B_P_036	AD 2-LHPP-NDB-15, AD 2-LHPP-RNP-15 (except LPV minima)	NIL
LHPP_AREA2B_P_035	AD 2-LHPP-NDB-15, AD 2-LHPP-RNP-15 (except LPV minima)	NIL

RWY33		
Obstacle penetrating VSS	Affected procedures	Affected OCA/H
Not applicable		